

WYO-BEN, INC.

SAFETY DATA SHEET

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: Chemical Family: Application:	CLEARTREAT [®] 2305G Mineral Water Treatment
Manufacturer/Supplier:	Wyo-Ben, Inc. 1345 Discovery Drive Billings, MT 59102 USA Telephone: 800.548.7055 Facsimile: 406.656.0748
Emergency Phone Number	CHEMTREC [®] 1.800.424.9300
SECTION 2 — HAZARD IDE	INTIFICATION
Hazard Classification:	Carcinogenicity (Category 1A) Specific Target Organ Toxicity (Repeated Exposure) (Category 1) Eye Damage/Irritation (Category 1) Skin Irritation (Category 2) Specific Target Organ Toxicity (Single Exposure) (Respiratory) (Category 3)
Signal Word:	Danger
Hazard Statements::	May cause cancer. Causes damage to organs through prolonged or repeated exposure. Causes serious eye damage Causes skin irritation May cause respiratory irritation
Hazard Symbol:	
Precautionary Statements	
Prevention:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breath dust. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye protection/face protection. Wear protective gloves. Use only outdoors or in a well-ventilated area.
Response:	If exposed or concerned: Get medical advice/attention. If on skin: Wash with plenty of water and soap. Specific treatment (See SDS Section 4). If skin irritation occurs get medical advice/attention. Take off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. Seek medical advice/attention if you feel unwell.

Disposal:

Dispose of contents/container in accordance with local/regional/national regulations.

Hazards Not Otherwise Classified:

None known.

SECTION 3 — COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	Percent
Crystalline Silica, quartz	14808-60-7	≤6%
Trade Secret*	Proprietary*	≤5%
Trade Secret*	Proprietary*	≤10%

* The specific identity and/or percentage of composition has been withheld as a trade secret.

Inhalation:	Product can cause severe irritation of the respiratory system. Remove person to a dust free area. Get medical attention if respiratory irritation develops or if breathing becomes difficult. Inhalation may aggravate existing respiratory illness.
Eyes:	Contact can cause severe irritation or burning, including permanent damage. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Seek medical attention immediately.
Skin:	Can cause irritation or burning of the skin, especially in the presence of moisture. Wash with soap and large amounts of water until clear. Seek medical attention if irritation or burning develops.
Ingestion:	This product can cause severe irritation or burning of gastrointestinal tract if swallowed. Do no induce vomiting. Seek medical attention immediately. Never give anything by mouth unless instructed to do so by medical personnel.
Notes to Physician:	Provide general supportive measures and treat symptomatically

Suitable Extinguishing Media:	Does not burn. All standard firefighting media may be used for packaging fires.
Unsuitable Extinguishing Media:	None
Special Exposure Hazards:	None known. Product is not combustible.
Special Protective Equipment and	None for product. Wear full fire-fighting turn-out gear (full Bunker gear), and respiratory protection (SCBA) appropriate for packaging fire.
Precautions for Firefighters:	Caution, slippery when wet.
NFPA Ratings:	Health 2, Flammability 0, Reactivity 0

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures:	Use appropriate protective equipment. Avoid creating and breathing dust.
	Prevent further leakage or spillage if safe to do so.
Environmental Precautionary Measures:	No special environmental precautions required
Procedure for Cleaning/Absorption:	Prevent further leakage or spillage if safe to do so. Avoid generating dust. Collect using appropriate dustless method. Dispose in landfill according to local, state and federal regulations.

SECTION 7 — HANDLING AND STORAGE

Storage Information:Use good housekeeping in storage and work areas to prevent accumulation of dust. Store
in cool, dry place. Close container when not in use. Do not reuse empty container.

SECTION 8 — EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Substances	CAS Number	ACGIH TLV-TWA*	OSHA PEL-TWA*
Crystalline Silica, quartz	14808-60-7	0.025 mg/m ³	<u>10 mg/m³</u> %SiO2 + 2
Trade Secret **	Proprietary **	Not established	15 mg/m ³ ***
Trade Secret **	Proprietary **	5 mg/m ³	15 mg/m ³

* More restrictive exposure limits may be enforced by some states, agencies, or other authorities.

** The specific identity and/or percentage of composition has been withheld as a trade secret.

*** For particles not otherwise regulated

Engineering Controls:	Use approved industrial ventilation and local exhaust as required to maintai applicable exposure limits.	n exposures below
Personal Protective Equipment	: If engineering controls and work practices cannot prevent excessive exposur and proper use of personal protective equipment should be determined by hygienist or other qualified professional based on the specific application of	an industrial
Respiratory Protection:	If significant exposures exceeding occupational exposure limit are possible u respirator approved for silica bearing dust.	se NIOSH/MSHA
Hand Protection:	Standard work gloves.	
Skin Protection:	Use appropriate gloves to prevent skin contact. Wear clothing appropriate t contact. Dusty clothing should be laundered before reuse. Use precautiona to avoid creating dust when removing or laundering clothing.	•
Eye Protection:	Wear safety glasses with side shields, safety goggles or full face shield to pro exposure. Do not wear contact lenses when working with this product.	otect against
Other Precautions: CLEARTREAT [®] 2305G 800.548.7055	Eye wash fountain and emergency showers are recommended. Page 3 of 7	WYO-BEN, INC.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Granular Solid
Color:	Light tan to gray as dry powder
Odor:	Odorless
pH:	11.2 (5% aqueous suspension)
Specific Gravity @ 20 C (Water=1):	2.45 – 2.55
Density @ 20 C (lbs/gallon):	Not determined
Bulk Density @ 20 C (lbs/ft³):	60 - 66
Boiling Point/Range (F/C):	Not applicable
Freezing Point/Range (F/C):	Not applicable
Vapor Pressure @ 20 C (mmHg):	Not applicable
Vapor Density (Air=1):	Not applicable
Percent Volatiles:	Not applicable
Evaporation Rate (Butyl Acetate=1):	Not applicable
Solubility in Water (g/100ml):	Insoluble, forms colloidal suspension
Solubility in Solvents (g/100ml):	Not applicable
VOCs (lbs/gallon):	Not applicable
Viscosity, Dynamic @ 20 C (centipoise):	Not applicable
Viscosity, Kinematic @ 20 C (centistrokes): Partition Coefficient/n-Octanol/Water: Molecular Weight (g/mole):	Not determined Not applicable Not applicable
Flash Point/Range (F/C):	Not applicable
Flash Point Method:	Not applicable
Autoignition Temperature (F/C):	Not applicable
Flammability Limits in Air – Lower (%):	Not applicable
Flammability Limits in Air – Upper (%):	Not applicable

SECTION 10 — STABILITY AND REACTIVITY

Reactivity:	Nonreactive	
Chemical Stability:	Stable	
Possibility of Hazardous Reactions:	Will not occur.	
Conditions to Avoid:	None	
Anticipated Incompatibility (Materials to Avoid):None known	
Hazardous Decomposition Products:	None	
Additional Guidelines:	Not applicable	
CLEARTREAT ® 2305G 800.548.7055	Page 4 of 7	WYO-BEN, INC.

Principle Route of Exposure: Eye or skin contact, inhalation.		
Symptoms Related to the Physical, Chemical	and Toxicological Characteristics	
Inhalation:	Product can cause severe irritation of the respiratory syst crystalline silica in the form or quartz from occupation carcinogenic to humans (IARC, Group 1). Inhalation may a respiratory illness.	al sources is
Skin Contact:	Can cause irritation or burning of the skin, especially in the moisture.	ne presence of
Eye Contact:	Contact can cause severe irritation or burning, including	permanent damage.
Ingestion:	Product can cause severe irritation or burning of gastroin swallowed.	testinal tract if
Aggravated Medical Conditions:	Individuals with respiratory disease, including but not li bronchitis, or those subject to eye irritation, should this product or to respirable quartz-bearing dust.	
Chronic Effects/Carcinogenicity:	Silicosis: Excessive inhalation of respirable crystalline sil progressive, disabling, and sometimes-fatal lung dis Symptoms include cough, shortness of breath, wheezin illness, and reduced pulmonary function. This diseas smoking. Individuals with silicosis are predisposed to deve	ease called silicosis. ng, non-specific chest se is exacerbated by
	Cancer Status: The International Agency for Research or concludes that there is sufficient evidence in humans inhaled crystalline silica from occupational sources (carcinogenicity was not detected in all industrial circur that carcinogenicity may depend on characteristics of t on external factors affecting its biological activity. See Silica, Some Silicates and Organic Fibres (June 1997). Th Program (NTP) classifies respirable crystalline silica as "H carcinogen" (NTP 9 th Report on Carcinogens, 2000). The of Governmental Industrial Hygienists (ACGIH) classi quartz, as a suspected human carcinogen (A2).	for carcinogenicity of IARC Group 1), that mstances studied and he crystalline silica or IARC Monograph 68, Ne National Toxicology Known to be a human American Conference
Other Information:	See "Adverse Effects of Crystalline Silica Exposure" publi Thoracic Society Medical Section of the American Lung Journal of Respiratory and Critical Care Medicine, Volum (1997).	Association, American
Toxicity Tests		
Oral Toxicity:	Not classified	
Dermal Toxicity:	Not classified	
Inhalation Toxicity:	Not classified	
Primary Irritation Effect:	Not classified	
Carcinogenicity:	Refer to IARC Monograph 68, Silica, Some Silicates and O (June 1997).	rganic Fibres
Genotoxicity:	Not classified	
Reproductive/Developmental Toxicity: CLEARTREAT [®] 2305G 800.548.7055	Not classified Page 5 of 7	WYO-BEN, INC.

SECTION 12 — ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air):	Not determined. Based upon ingredients mobility in water and soil should be minimal.			
Persistence/Degradability:	Not determined			
Bio-accumulation:	Not determined			
Ecotoxicological Information				
Because of the high pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems in high concentrations. Acute Fish Toxicity: Not determined Acute Crustaceans Toxicity: Not determined				

	Acute Algae Toxicity:	Not determined
Chemical Fate Ir	Not determined	
Other Informati	on:	None known

SECTION 13 — DISPOSAL CONSIDERATIONS

Disposal Method:

If product should become a waste dispose in a licensed landfill according to federal, state and local regulations.

Contaminated Packaging:

Do not reuse. Follow all applicable national or local regulations.

SECTION 14 — TRANSPORT INFORMATION

Land Transportation

DOT – Not regulated as dangerous goods

Canadian TDG - Not regulated as dangerous goods

ADR - Not regulated as dangerous goods

Air Transportation

ICAO/IATA – Hazardous Class 8-Corrosive, UN1910, Packing Group III

Sea Transportation

IMDG – Not regulated as dangerous goods

Other Transportation Information

Labels: None

SECTION 15 — REGULATORY INFORMATION

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

Not applicable

EPA SARA Title III Extremely Hazardous Substances

EPA SARA (311, 312) Hazard Class

Chronic Health Hazard

	EPA SARA (313) Chemicals EPA CERCLA/Superfund Reportable Spill Quantity	This product does not contain a toxic chemical for routine annual "Toxic Chemical Release Reporting" under Section 313 (40 CFR 372). Not applicable		
	EPA RCRA Hazardous Waste Classification	If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.		
	California Proposition 65	This product contains crystalline silica (respirable) which is a substance known to the State of California to cause cancer.		
Canadian Regulations				
Canadian DSL Inventory		All components listed on inventory or are exempt.		
	WHMIS Hazard Class	Class D, Division 2, Subdivision A for crystalline silica (respirable). Class E for calcium hydroxide.		
SECTION 16 — OTHER INFORMATION				
Prepared	03/18/2015			
Last Revision	04/26/2018			

DISCLAIMER

All information presented herein is believed to be accurate; however, it is the user's responsibility to determine in advance of need that the information is current and suitable for their circumstances. No warranty or guarantee, expressed or implied is made by WYO-BEN, INC. as to this information, or as to the safety, toxicity or effect of the use of this product.